

### Lecture 7 - Intro to Color

Michael Gleicher September 2007 Notes – not for display

### Outline



#### Last time

 Re-Sampling in Practice

#### This time: Color

- What does color mean in terms of the project
- What is color?
- How do we see color?
- Why RGB? (or why not)
- Gamuts

#### Shift Gears: Color



- Color
- Quality of Light
  - Has a wavelength not just an amount
  - Each photon has a wavelength
- Lots of photons = spectra of frequencies
- · Can measure the spectrum of light
  - Graph wavelength vs. amount at the measurement
- Different spectra give different "color impressions"

#### Colors



- One dominant wavelength = pure color
- No dominant wavelength = "white" (or black/gray)
- What do we perceive?
  - Luminence (amount of light)
  - Color (dominant)
  - Purity of Color
- Complications
  - Differences in perception
  - Artist notions vs. physics vs. psychology

### Sensing Color



- · Different sensors have different sensitivities
  - Spectrum of sensor
  - Convolution with spectrum gives response
- Ideal photo sensor / real photo sensor
- Cameras wide range sensor
  - Put filters in front of each CCD element
  - Different parts of spectra (R,G,B)
  - Bayer Mosaic (need to interpolate)
  - Foveon

#### Color Vision in Animals



- Rods = all the same
  - No color vision
- Cones = have different kinds
  - 1-chromat (can't see color) -> Dogs
  - bi-chromat (2 different types) -> large mamals
  - Tri-chromat -> humans \*\*\*
    - Color blindness = lack of 1 type
    - Rare genetics condition gives a 4<sup>th</sup> type
  - Some birds have 4 or 5 types of cones
    - Ducks&Pigeons have 5, European starlings have 4

# Distinguishing colors



- 1 sensor
  - All colors look the same
  - Combination of colors looks like any color
- Metamers perceptually indistinguishable
- · 2 sensors
  - Non-overlap case (what differences?)
  - Overlap case
    - · Middle vs. combination of sides

# **Faking Colors**



- · Metamers allow for faking
- Two different overlapping cones respond
  - Some of each color?
  - Some of the in-between color
- Can fake responses using N "point" colors
- 2 cones = 2 frequencies
- Get either cone, or anything in overlap
- Colors outside of overlap can't be faked



#### Gamut




- The range of colors that a device can represent
  - Perceptual range
- · Device only shows some primaries
- · Can only fake some colors

### (normal) Human Vision



- 3 types of Cones
  - S (short wavelength) cones
  - M (mid wavelength) cones
  - L (long wavelength) cones
- Sortof RGB, but not quite
- · Lots of overlap
- Far fewer S cones than L and M



### Different Sensitivities



- Convert to gray requires scaling for sensitivities
- R = 0.212671 \* Y
- G = 0.715160 \* Y
- B = 0.072169 \* Y.

## Is RGB good enough?



- Sortof gets close to all colors
  - Need better gamut
- No
  - Inconvenient for talking about color
  - Perceptually non-linear
  - Inconsistencies in what RGB means = no matching
  - Can't get really vivid colors
    - Purples are particularly bad
    - Can't be RGV since violet sensitivity isn't good
    - Old film had different gamuts
      - Robin hood in technicolor

### Before we go on... What RGB means for this class



- We'll do everything in RGB
- Can think about an image as 3 separate images
  Intensity for R, for G, for B
- Could store as 3 separate images RRRRR, GGGG
- Could store RGBRGBRGBRGB
  - Generally do the latter
- Analogy with film (3 layers vs. 1 layer)
- 4th color isn't a color its alpha, transparency
  - More on that next time

#### How do we talk about color?



- · Want to understand the gamut of displays
- Want to compare displays
- · Want to understand limits of RGB

# **Imaginary Primaries**



- Can we excite just one type of cone?
  - No there is overlap
  - Yes shine 1 positive and 1 negative wavelength
    Really need multiple wavelengths to do it
  - No there's no such thing as negative light
  - That's why these are IMAGINARY primaries
- This is a thought experiment for analysis
- Could make LMS primaries (for LMS cones)
- But want to separate color from brightness


# Perceptual Color Space



- Choose 3 primaries that do span human vision
  - Complete Gamut can recreate any color
  - Not physically realizable (since has negative energies)
- CIE XYZ
  - Y is "lightness" intensity w/o color
  - XZ are color directions
  - Look at 2D slices of constant brightness (since we're just worried about color)

### **Determining Gamuts**






- Gamut: The range of colors that can be represented or reproduced
- Plot the matching coordinates for each primary. eg R, G, B
- Region contained in triangle (3 primaries) is gamut
- Really, it's a 3D thing, with the color cube distorted and embedded in the XYZ gamut

### **Gamut Analysis**



- Space of colors a device can reproduce depends on primaries
- Device reproduce linear combinations of primaries
   space inside of points
- Different devices have different ranges
  - Print with more inks
  - Films with different formulations



# Is RGB good enough?



- Sortof gets close to all colors
  - Need better gamut
- No
  - Inconvenient for talking about color
  - Perceptually non-linear
  - Can't get really vivid colors

    - Purples are particularly bad
      Can't be RGV since violet sensitivity isn't good
    - Old film had different gamuts
      - Robin hood in technicolor